

# The optimization model of whole process engineering consulting consortium members based on Z-number

Zecheng Liu<sup>1</sup>, Jianyu Chu<sup>2</sup>, Jinjian Du<sup>3</sup>

College of Civil and Architectural Engineering, North China University of Science and Technology, Tangshan, China

<sup>2</sup>Corresponding author

**E-mail:** <sup>1</sup>2656353710@qq.com, <sup>2</sup>jychu@ncst.edu.cn, <sup>3</sup>1139107547@qq.com

Received 31 August 2023; accepted 11 October 2023; published online 30 October 2023

DOI <https://doi.org/10.21595/jmai.2023.23600>



Copyright © 2023 Zecheng Liu, et al. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

**Abstract.** At present, there are very few enterprises with whole-process engineering consulting capability and qualification. To carry out consulting work in a consortium is a necessary way to meet the actual situation of the industry and promote whole-process consulting quickly, and the selection of consortium members is the key issue. First of all, this paper summarizes the construction principle of the index system of consortium member selection, and describes the index system. Aiming at the consortium member selection model, on the basis of comprehensive consideration of 9 indicators, the evaluation value of Z-Numbers fuzzy numbers is obtained by using seven-point language terms, the index weight and expert weight are obtained by using the sequential method and entropy weight method, and the data are processed to get the alternative enterprise evaluation matrix. Fuzzy TOPSIS method suitable for Z-Numbers was introduced to solve the positive ideal solution closeness degree of each enterprise, so as to rank the alternative enterprises.

**Keywords:** whole-process consultation, member selection, Z-numbers, TOPSIS.

## 1. Introduction

The interest distribution of relevant stakeholders is an important part of the whole process of engineering consultation in the form of a consortium. The interest distribution of all parties in the consortium is crucial to the smooth implementation of the project. Reasonable interest distribution can improve the enthusiasm of all parties for cooperation. Dissatisfaction of any party may lead to the dissolution of the consortium or the reduction of service quality [1].

Xu et al. [2] established a three-stage evaluation model for the selection of members in the design team, and conducted preliminary analysis, fuzzy comprehensive evaluation, and dynamic adjustment of candidate members. Through case studies, it has been verified that this method has strong flexibility and is suitable for various evaluation situations. Fan et al. [3] established a dual objective 0-1 model based on comprehensive consideration of personal information and collaboration ability for the screening problem of R&D team members, and applied it to an example to solve it using genetic algorithm, verifying the feasibility of the model. Watanabe et al. [4] introduced visual analysis methods into the study of member selection. Based on the collected information, they systematically analyzed the basic indicators of candidate members and visualized the evaluation process and prediction results of candidate members. Kumar et al. [5] used the fuzzy analytic hierarchy process to calculate indicator weights, combined with the decision-making method of fuzzy multi-objective optimization, established an optimization model, and obtained the ranking of candidate members. Cheng et al. [6] established a partner selection model in the supplier selection problem, with the constraints of cost, quality, completion time, and service quality in lean systems, and the goal of reducing time consumption.

In summary, research on the selection of consortium members in supply chain, transportation, virtual enterprises, and other fields is extensive and in-depth. However, the acquisition of decision-making information lacks judgment on the reliability of information, and there is a possibility of information loss during the evaluation process. China's whole Process engineering

consulting is still in its infancy. For small and medium-sized consulting enterprises to form a consortium, the lead enterprise should also establish a member selection model based on the internal characteristics and development status of the whole Process engineering consulting

**2. The whole process of project consulting consortium member selection index system**

The selection index of engineering consulting members in the whole process is screened and the index system is established. Member Member selection indicators are shown in Table 1. The meanings of specific indicators are as follows.

**Table 1.** Member selection evaluation index

| Target  | First-order index              | Secondary index             |
|---|--------------------------------|-----------------------------|
| Whole process project consulting consortium member selection evaluation index | Collaboration ability          | Collaborative experience    |
|   |                                | Ability to communicate      |
|   |                                | Team-work ability           |
|   | Technical capacity             | Enterprise qualification    |
|   |                                | Quality of personal         |
|   |                                | Relevant project experience |
|   | Ability to organize and manage | Organization chart          |
|   |                                | Incentive mechanism         |
|   |                                | Enterprise culture          |

**2.1. Index weight determination**

The sequential method is a subjective weighting method. In the process of implementation, there is no need to construct judgment matrix and consistency test, and expert opinions can be fully expressed. There is no restriction on the number of indicators, and it has a good effect in determining the weight of indicators. The method firstly sorted the whole index, then compared the importance of adjacent indexes from weak to strong in pairs, and finally determined the weight of indexes by quantitative calculation by substituting the formula.

1) Deterministic order relation.

Suppose there are  $n$  indicators in the index system. Respectively expressed as  $x_1, x_2 \dots x_3$ . Its weight is expressed as  $w_1, w_2 \dots w_3$ . The importance of indicators is ranked by experts, and after ranking, it is represented by  $x_1^* > x_2^* \dots x_n^*$ . The weight is expressed as  $w_1^*, w_2^* \dots w_n^*$ .

2) Comparison of the importance of adjacent indicators.

Expert on adjacent indicators  $x_{j-1}^*$  and  $x_j^*$  Compared to the importance of the evaluation, Getting the importance assignment  $r_j, r_j = w_{j-1}/w_j$  ( $j = 2, 3 \dots, n$ ), at the same time must satisfy  $r_{j-1} > 1/r_j$ , degree of importance. The assignments  $r_j$  are shown in Table 2.

**Table 2.** Importance assignment

| $r_j$ | Assignment specification   |
|-------|--|
| 1.0   | Indicator $x_{j-1}^*$ is as important as indicator $x_j^*$                   |
| 1.2   | Indicator $x_{j-1}^*$ is slightly more important than indicator              |
| 1.4   | Indicator $x_{j-1}^*$ is significantly more important than indicator $x_j^*$ |
| 1.6   | Indicator $x_{j-1}^*$ is more important than indicator $x_j^*$               |
| 1.8   | Indicator $x_{j-1}^*$ is extremely important than indicator $x_j^*$          |

3) Calculated weight.

According to Eq. (1), the weight of the least important index is obtained, and according to formula (2), the weight of other indicators is obtained successively [6]:

$$w_n^* = \frac{1}{1 + \sum_{i=2}^n \prod_{i=k}^n}, \quad (j = n, n - 1, \dots, 2), \quad (1)$$

$$w_{j-1}^* = r_j w_j^*, \quad (j = n, n - 1, \dots, 2). \quad (2)$$

### 3. Whole process engineering consulting consortium member selection model

#### 3.1. Modeling idea

The leading unit of the consortium selects the best partners for the whole process engineering consulting project, which is not only conducive to the smooth development of the project, but also conducive to the smooth implementation of the whole process engineering consulting model in the form of a joint body. Therefore, in view of the principle of selecting the best members, several experts were invited to evaluate and score the indicators of the alternative members based on Z-numbers method. The weight of each indicator was calculated by the sequential method. The weight of each expert was obtained by using the information reliability part of Z-numbers combined with the entropy weight method, and the data were summarized and substituted into fuzzy TOPSIS method. The positive and negative ideal distance of each member is calculated, and the member is ranked to determine the consortium cooperative enterprises




Fig. 1. Member selection flowchart

#### 3.2. Z-numbers obtaining and processing data

##### 3.2.1. The transformation of language variables

Language terms have fuzziness and uncertainty, which conform to the fuzzy limitation and reliability principle of Z-numbers. Studies show that language variables have the best effect between 6-10 partitions. If the score interval of language terms is too small, experts will not consider the relevant information of the evaluation object comprehensively, which will affect the accuracy of data. If the score interval of language terms is too large, experts should have high evaluation experience, evaluation efficiency, knowledge reserve and other conditions, and the amount of evaluation tasks of experts should be increased. Therefore, the 7-point conversion rule of language variables is adopted in this paper to convert the first part and the second part of Z-numbers into trapezoidal fuzzy numbers and triangular fuzzy numbers respectively. The conversion rules of language variables are shown in Table 3 and Table 4.

**Table 3.** Constraint language variables and trapezoidal fuzzy number conversion rules

| Serial number | Constrains some language variables | Corresponding fuzzy number |
|---------------|------------------------------------|----------------------------|
| 1             | VP                                 | (0,0,0.1,0.2)              |
| 2             | P                                  | (0.1,0.2,0.2,0.3)          |
| 3             | MP                                 | (0.2,0.3,0.4,0.5)          |
| 4             | M                                  | (0.4,0.5,0.5,0.6)          |
| 5             | MG                                 | (0.5,0.6,0.7,0.8)          |
| 6             | G                                  | (0.7,0.8,0.8,0.9)          |
| 7             | VG                                 | (0.8,0.9,1,1)              |

**Table 4.** Conversion rules of reliability language variables and triangular fuzzy numbers

| Serial number | Constrains some language variables | Corresponding fuzzy number |
|---------------|------------------------------------|----------------------------|
| 1             | VL                                 | (0,0,0.2)                  |
| 2             | L                                  | (0.05,0.2,0.35)            |
| 3             | ML                                 | (0.2,0.35,0.5)             |
| 4             | M                                  | (0.35,0.5,0.65)            |
| 5             | MH                                 | (0.5,0.65,0.8)             |
| 6             | H                                  | (0.65,0.8,0.95)            |
| 7             | VH                                 | (0.8,1,1)                  |

### 3.2.2. Z-Numbers are converted to classical fuzzy numbers

Kang proposed a method that can approximate Z-Numbers into classical fuzzy numbers under the premise of partial loss of information, which is conducive to improving decision efficiency and practical application. Its basic thinking path is as follows: First, let  $Z = (A, B)$  be a Z-Number, Where  $A$  is the restrictive part, and the membership function is  $1 \{A = (x, \mu_A) | x \in [0,1]\}$ ,  $B$  is the reliability part. The membership function is expressed as  $\{B = (x, \mu_B) | x \in [0,1]\}$ ; Part  $B$  of reliability judgment is transformed according to gravity center method. You get a clear number  $\lambda$  for a fuzzy number  $B$ , As shown in Eq. (3). For triangular fuzzy numbers the results of centroid calculation formula are shown in Eq. (4):

$$\lambda = \frac{\int xB(x)dx}{\int B(x)dx}, \tag{3}$$

$$\lambda = \frac{b_1 + b_2 + b_3}{3}. \tag{4}$$

Then, the barycenter value  $\lambda$  of reliability part  $B$  can be used as the weight of restriction part  $A$ . Then  $Z = (A, B)$  can be converted into the classical trapezoidal fuzzy number  $Z'$ . As shown in Eq. (5). If the constraint part  $A$  is a trapezoidal fuzzy number, it can be expressed as Eq. (6):

$$Z' = \{(x, \mu_{A'}) \mid \mu_{A'}(x) = \lambda \mu_A(x), x \in [0,1]\}, \tag{5}$$

$$Z' = \sqrt{\lambda} \times A = (\sqrt{\lambda} \times a_1, \sqrt{\lambda} \times a_2, \sqrt{\lambda} \times a_3, \sqrt{\lambda} \times a_4). \tag{6}$$

### 3.3. Expert weight calculation

The initial evaluation data contains the opinions of several experts, which need to be integrated to calculate the weight of each expert opinion. The reliability part of Z-Numbers represents the degree of experts' understanding of the information of evaluation objects. It can be used to calculate the weight of experts by combining the entropy weight method with the reliability part. When an expert has a full understanding of the information of evaluation objects, the accuracy of his evaluation will be higher, so the weight of the expert will be higher. The expert weight is calculated as shown in Eqs. (7), (8) and (9):

$$Z_{ij}^x = \frac{a + 4b + c}{6}, \quad (7)$$

$$\partial_x^Z = -\frac{1}{\sum_{i=1}^m \sum_{j=1}^n Z_{ij}^x} \ln \left( \sum_{i=1}^m \sum_{j=1}^n Z_{ij}^x \right), \quad (8)$$

$$\beta_x = \frac{\partial_x^Z}{\sum_{x=1}^k \partial_x^Z}, \quad (9)$$

where  $\beta_x$  represents the weight of the  $x$  TH expert,  $\partial_x^Z$  represents the reliability function of the  $x$  TH expert opinion,  $Z_{ij}^x$  represents the reliability value of the evaluation opinion of the  $x$  TH expert on the  $j$  TH index of the  $i$  TH evaluation object. That is, the reliability of Z-Numbers is partially clarified. There are a total of  $k$  experts,  $m$  evaluation objects and  $n$  evaluation indicators. Eqs. (10) and (11) were used to integrate the opinions of several evaluation experts into the evaluation matrix of alternative members:

$$\beta Z = (\beta a_1, \beta a_2, \beta a_3, \beta a_4), \quad (10)$$

$$H_{ij} = \beta_1 Z_{ij}^1 + \beta_2 Z_{ij}^2 + \dots + \beta_k Z_{ij}^k. \quad (11)$$

### 3.4. TOPSIS determines the member ordering

1) The index weight obtained by the sequential method is weighted to the evaluation matrix of alternative members, as shown in Eq. (12), where  $\alpha_j$  represents the weight of the  $j$ th index:

$$P = (\alpha_j H_{ij})_{m \times n}. \quad (12)$$

2) Determine the most ideal index  $A^+$  and the least ideal index  $A^-$ :

$$A^+ = (P_1^+, P_2^+ \dots P_n^+), \quad (13)$$

$$A^- = (P_1^-, P_2^- \dots P_n^-), \quad (14)$$

When the  $j$  indicator is a benefit indicator, it is shown in Eq. (15). When the  $j$  indicator is a cost-type indicator, it is shown in Eq. (16):

$$P_j^+ = \left( \max_i p_{ij}, j \in J_1; \min_i p_{ij}, j \in J_2 \right), \quad (15)$$

$$P_j^- = \left( \min_i p_{ij}, j \in J_1; \max_i p_{ij}, j \in J_2 \right). \quad (16)$$

3) Solve the positive and negative ideal distance. The distance calculation of two trapezoidal fuzzy numbers is shown in Eqs. (17) and (18), and the distance calculation of two trapezoidal fuzzy numbers is shown in Eq. (19):

$$d_i^+ = \sum_{j=1}^n d(p_{ij}, p_j^+), \quad (17)$$

$$d_i^- = \sum_{j=1}^n d(p_{ij}, p_j^-), \quad (18)$$

$$d(a, b) = \sqrt{\frac{1}{6} \left[ \sum_{i=1}^4 (b_i - a_i)^2 + \sum_{i=1}^3 (b_i - a_i)(b_{i+1} - a_{i+1}) \right]}. \quad (19)$$

4) Solve the ideal point distance. Where,  $\theta_i$  represents the degree of closeness between the  $i$

TH evaluation object and the positive ideal solution:

$$\theta_i = d_i^- / (d_i^+ + d_i^-). \tag{20}$$

5) When sorting alternative units, the larger the  $\theta_i$  value is, the better the evaluation object is and the more it meets the selection demand of the lead unit. The largest  $\theta_i$  value belongs to the consortium partner.

**4. Example**

Currently, a design institute, as the lead enterprise, has formed a consortium to carry out the whole process of CBD construction engineering consulting project of a city business district. The design institute can provide design services and construction cost services. The project owner requires the whole process of engineering consulting services including supervision services. All submitted relevant information about their enterprises.

**4.1. Determine index weight**

The weight of each index is determined by the sequential method, as shown in Table 5.

**Table 5.** Weight of each indicator

| First-order index              | First-order index weight | Secondary index             | Secondary index weight | Comprehensive weight |
|--------------------------------|--------------------------|-----------------------------|------------------------|----------------------|
| Collaboration ability          | 0.31                     | Collaborative experience    | 0.396                  | 0.123                |
|                                |                          | Ability to communicate      | 0.275                  | 0.085                |
|                                |                          | Team-work ability           | 0.33                   | 0.102                |
| Technical capacity             | 0.434                    | Enterprise qualification    | 0.245                  | 0.106                |
|                                |                          | Quality of personal         | 0.412                  | 0.179                |
|                                |                          | Relevant project experience | 0.343                  | 0.149                |
| Ability to organize and manage | 0.258                    | Organization chart          | 0.467                  | 0.120                |
|                                |                          | Incentive mechanism         | 0.292                  | 0.075                |
|                                |                          | Enterprise culture          | 0.243                  | 0.063                |

**4.2. Evaluation and scoring**

4 industry experts are invited to evaluate A, B and C enterprises according to the 7-point scale terms, as shown in Table 6, 7 and 8.

**4.3. Z-numbers transform**

Z-Numbers are converted into classical fuzzy numbers, as shown in Table 9, Table 10 and Table 11.

**4.4. Calculated expert weight**

The reliability part of Z-numbers is clarified according to Eq. (7), the expert weight is calculated according to Eqs. (8) and (9), and the member selection evaluation matrix is obtained according to the index weight, as shown in Table 12.

**4.5. TOPSIS calculates the rankings**

Since indexes in this paper are benefit indexes, the values of positive and negative ideal solutions are treated as  $J_1$ . The positive and negative ideal distance of each unit in TOPSIS is shown in Table 13. The value of the alternative units is  $\theta_1 = 0.850$ ,  $\theta_2 = 0.154$ ,  $\theta_3 = 0.625$ .

Among them, Unit A has the highest evaluation value, that is, Unit A is the optimal partner.

The calculation results show that, after the evaluation of the indicators of the three supervision units A, B and C by four experts, the model-based calculation and analysis results show that unit A is the best and has obvious advantages. In reality, Unit A has advantages in technical ability and team cooperation ability, which is in line with the realistic results and verifies the applicability of the model.

**Table 6.** A Unit expert evaluation language value

|                |                 | Expert 1 | Expert 2 | Expert 3 | Expert 4 |
|----------------|-----------------|----------|----------|----------|----------|
| U <sub>1</sub> | U <sub>11</sub> | (MG,H)   | (G,H)    | (G,MH)   | (MG,MH)  |
|                | U <sub>12</sub> | (MG,MH)  | (M,H)    | (MG,M)   | (MG,MH)  |
|                | U <sub>13</sub> | (MG,VH)  | (M,M)    | (MG,M)   | (MG,H)   |
| U <sub>2</sub> | U <sub>21</sub> | (MG,ML)  | (G,H)    | (MG,H)   | (VG,ML)  |
|                | U <sub>22</sub> | (M,MH)   | (MG,ML)  | (MG,H)   | (VG,H)   |
|                | U <sub>23</sub> | (MG,M)   | (G,MH)   | (G,ML)   | (M,M)    |
| U <sub>3</sub> | U <sub>31</sub> | (MG,M)   | (M,M)    | (MG,MH)  | (M,MH)   |
|                | U <sub>32</sub> | (M,VH)   | (MP,MH)  | (MG,H)   | (MP,MH)  |
|                | U <sub>33</sub> | (MG,M)   | (MP,H)   | (MP,M)   | (M,M)    |

**Table 7.** B Unit expert evaluation language value

|                |                 | Expert 1 | Expert 2 | Expert 3 | Expert 4 |
|----------------|-----------------|----------|----------|----------|----------|
| U <sub>1</sub> | U <sub>11</sub> | (M, H)   | (M, M)   | (P,MH)   | (MP,MH)  |
|                | U <sub>12</sub> | (P,MH)   | (MP,MH)  | (M,M)    | (M,H)    |
|                | U <sub>13</sub> | (M,H)    | (M, MH)  | (MP,ML)  | (P,MH)   |
| U <sub>2</sub> | U <sub>21</sub> | (MG,H)   | (M, MH)  | (MG,H)   | (M,H)    |
|                | U <sub>22</sub> | (MP,MH)  | (M,ML)   | (MP,H)   | (M,M)    |
|                | U <sub>23</sub> | (M,M)    | (P,MH)   | (MP,MH)  | (P,MH)   |
| U <sub>3</sub> | U <sub>31</sub> | (MG,H)   | (M,MH)   | (MG,H)   | (MG,M)   |
|                | U <sub>32</sub> | (MP,M)   | (M,M)    | (G,ML)   | (M,ML)   |
|                | U <sub>33</sub> | (G,H)    | (MG,H)   | (M,MH)   | (MG,H)   |

**Table 8.** C Unit expert evaluation language value

|                |                 | Expert 1 | Expert 2 | Expert 3 | Expert 4 |
|----------------|-----------------|----------|----------|----------|----------|
| U <sub>1</sub> | U <sub>11</sub> | (MG,MH)  | (MG,M)   | (M,H)    | (M,MH)   |
|                | U <sub>12</sub> | (M,M)    | (MG,VH)  | (MG,M)   | (MG,ML)  |
|                | U <sub>13</sub> | (M,MH)   | (MG,ML)  | (MP,M)   | (G,M)    |
| U <sub>2</sub> | U <sub>21</sub> | (M,MH)   | (MG,M)   | (G,ML)   | (MG,M)   |
|                | U <sub>22</sub> | (MG,M)   | (M,M)    | (G,MH)   | (M,MH)   |
|                | U <sub>23</sub> | (M,H)    | (MG,MH)  | (M,ML)   | (MG,MH)  |
| U <sub>3</sub> | U <sub>31</sub> | (MG,MH)  | (M,M)    | (MG,H)   | (MG,VH)  |
|                | U <sub>32</sub> | (M,ML)   | (MP,M)   | (G,H)    | (MG,MH)  |
|                | U <sub>33</sub> | (M,M)    | (MG,MH)  | (MG,M)   | (M,M)    |

**Table 9.** A unit classical fuzzy number

|                 | Expert 1                | Expert 2                | Expert 3                | Expert 4                |
|-----------------|-------------------------|-------------------------|-------------------------|-------------------------|
| U <sub>11</sub> | 0.447,0.537,0.626,0.716 | 0.626,0.716,0.716,0.805 | 0.564,0.645,0.645,0.726 | 0.403,0.484,0.564,0.645 |
| U <sub>12</sub> | 0.403,0.484,0.564,0.645 | 0.358,0.447,0.447,0.537 | 0.354,0.424,0.495,0.566 | 0.403,0.484,0.564,0.645 |
| U <sub>13</sub> | 0.483,0.58,0.676,0.773  | 0.283,0.354,0.354,0.424 | 0.354,0.424,0.495,0.566 | 0.447,0.537,0.626,0.716 |
| U <sub>21</sub> | 0.296,0.355,0.414,0.473 | 0.626,0.716,0.716,0.805 | 0.447,0.537,0.626,0.716 | 0.473,0.532,0.592,0.592 |
| U <sub>22</sub> | 0.322,0.403,0.403,0.484 | 0.296,0.355,0.414,0.473 | 0.447,0.537,0.626,0.716 | 0.716,0.805,0.894,0.894 |
| U <sub>23</sub> | 0.354,0.424,0.495,0.566 | 0.564,0.645,0.645,0.726 | 0.414,0.473,0.473,0.532 | 0.283,0.354,0.354,0.424 |
| U <sub>31</sub> | 0.354,0.424,0.495,0.566 | 0.283,0.354,0.354,0.424 | 0.414,0.473,0.473,0.532 | 0.322,0.403,0.403,0.484 |
| U <sub>32</sub> | 0.386,0.483,0.483,0.58  | 0.161,0.242,0.322,0.403 | 0.447,0.537,0.626,0.716 | 0.161,0.242,0.322,0.403 |
| U <sub>33</sub> | 0.354,0.424,0.495,0.566 | 0.179,0.268,0.358,0.447 | 0.141,0.212,0.283,0.354 | 0.283,0.354,0.354,0.424 |

**Table 10.** B unit classical fuzzy number

|                 | Expert 1                | Expert 2                | Expert 3                | Expert 4                |
|-----------------|-------------------------|-------------------------|-------------------------|-------------------------|
| U <sub>11</sub> | 0.358,0.447,0.447,0.537 | 0.283,0.354,0.354,0.424 | 0.081,0.161,0.161,0.242 | 0.161,0.242,0.322,0.403 |
| U <sub>12</sub> | 0.081,0.161,0.161,0.242 | 0.161,0.242,0.322,0.403 | 0.283,0.354,0.354,0.424 | 0.358,0.447,0.447,0.537 |
| U <sub>13</sub> | 0.358,0.447,0.447,0.537 | 0.322,0.403,0.403,0.484 | 0.118,0.177,0.237,0.296 | 0.081,0.161,0.161,0.242 |
| U <sub>21</sub> | 0.447,0.537,0.626,0.716 | 0.322,0.403,0.403,0.484 | 0.447,0.537,0.626,0.716 | 0.358,0.447,0.447,0.537 |
| U <sub>22</sub> | 0.161,0.242,0.322,0.403 | 0.237,0.296,0.296,0.355 | 0.179,0.268,0.358,0.447 | 0.283,0.354,0.354,0.424 |
| U <sub>23</sub> | 0.283,0.354,0.354,0.424 | 0.081,0.161,0.161,0.242 | 0.161,0.242,0.322,0.403 | 0.081,0.161,0.161,0.242 |
| U <sub>31</sub> | 0.447,0.537,0.626,0.716 | 0.322,0.403,0.403,0.484 | 0.447,0.537,0.626,0.716 | 0.354,0.424,0.495,0.566 |
| U <sub>32</sub> | 0.141,0.212,0.283,0.354 | 0.283,0.354,0.354,0.424 | 0.414,0.473,0.473,0.532 | 0.237,0.296,0.296,0.355 |
| U <sub>33</sub> | 0.626,0.716,0.716,0.805 | 0.447,0.537,0.626,0.716 | 0.322,0.403,0.403,0.484 | 0.447,0.537,0.626,0.716 |

**Table 11.** C unit classical fuzzy number

|                 | Expert 1                | Expert 2                | Expert 3                | Expert 4                |
|-----------------|-------------------------|-------------------------|-------------------------|-------------------------|
| U <sub>11</sub> | 0.403,0.484,0.564,0.645 | 0.354,0.424,0.495,0.566 | 0.358,0.447,0.447,0.537 | 0.322,0.403,0.403,0.484 |
| U <sub>12</sub> | 0.283,0.354,0.354,0.424 | 0.483,0.58,0.676,0.773  | 0.354,0.424,0.495,0.566 | 0.296,0.355,0.414,0.473 |
| U <sub>13</sub> | 0.322,0.403,0.403,0.484 | 0.296,0.355,0.414,0.473 | 0.141,0.212,0.283,0.354 | 0.495,0.566,0.566,0.636 |
| U <sub>21</sub> | 0.322,0.403,0.403,0.484 | 0.354,0.424,0.495,0.566 | 0.414,0.473,0.473,0.532 | 0.354,0.424,0.495,0.566 |
| U <sub>22</sub> | 0.354,0.424,0.495,0.566 | 0.283,0.354,0.354,0.424 | 0.564,0.645,0.645,0.726 | 0.322,0.403,0.403,0.484 |
| U <sub>23</sub> | 0.358,0.447,0.447,0.537 | 0.403,0.484,0.564,0.645 | 0.237,0.296,0.296,0.355 | 0.403,0.484,0.564,0.645 |
| U <sub>31</sub> | 0.403,0.484,0.564,0.645 | 0.283,0.354,0.354,0.424 | 0.447,0.537,0.626,0.716 | 0.483,0.58,0.676,0.773  |
| U <sub>32</sub> | 0.237,0.296,0.296,0.355 | 0.141,0.212,0.283,0.354 | 0.626,0.716,0.716,0.805 | 0.403,0.484,0.564,0.645 |
| U <sub>33</sub> | 0.283,0.354,0.354,0.424 | 0.403,0.484,0.564,0.645 | 0.354,0.424,0.495,0.566 | 0.283,0.354,0.354,0.424 |

**Table 12.** Alternative enterprise member selection evaluation matrix

|                 | Company A                      | Company B                      | company C                      |
|-----------------|--------------------------------|--------------------------------|--------------------------------|
| U <sub>11</sub> | 0.0628, 0.0734, 0.0785, 0.0890 | 0.0270, 0.0369, 0.0393, 0.0492 | 0.0442, 0.0540, 0.0586, 0.0686 |
| U <sub>12</sub> | 0.0322, 0.0391, 0.0439, 0.0508 | 0.0188, 0.0257, 0.0274, 0.0342 | 0.0302, 0.0365, 0.0413, 0.0476 |
| U <sub>13</sub> | 0.0399, 0.0482, 0.0547, 0.0630 | 0.0223, 0.0302, 0.0317, 0.0397 | 0.0319, 0.0391, 0.0424, 0.0496 |
| U <sub>21</sub> | 0.0490, 0.0569, 0.0624, 0.0687 | 0.0417, 0.0509, 0.0556, 0.0649 | 0.0383, 0.0457, 0.0495, 0.0570 |
| U <sub>22</sub> | 0.0798, 0.0940, 0.1047, 0.1150 | 0.0385, 0.0520, 0.0595, 0.0729 | 0.0682, 0.0818, 0.0849, 0.0985 |
| U <sub>23</sub> | 0.0603, 0.0707, 0.0733, 0.0838 | 0.0224, 0.0341, 0.0371, 0.0487 | 0.0522, 0.0637, 0.0697, 0.0812 |
| U <sub>31</sub> | 0.0412, 0.0496, 0.0517, 0.0601 | 0.0471, 0.0570, 0.0644, 0.0744 | 0.0485, 0.0586, 0.0665, 0.0767 |
| U <sub>32</sub> | 0.0216, 0.0282, 0.0329, 0.0394 | 0.0202, 0.0251, 0.0264, 0.0313 | 0.0264, 0.0321, 0.0349, 0.0406 |
| U <sub>33</sub> | 0.0150, 0.0197, 0.0234, 0.0281 | 0.0289, 0.0344, 0.0373, 0.0428 | 0.0209, 0.0255, 0.0279, 0.0325 |

**Table 13.** Positive and negative ideal distances in fuzzy topsis

|                |                 | Company A          |                    | Company B          |                    | Company C          |                    |
|----------------|-----------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|
|                |                 | $d(p_{1j}, p_j^+)$ | $d(p_{1j}, p_j^-)$ | $d(p_{2j}, p_j^+)$ | $d(p_{2j}, p_j^-)$ | $d(p_{3j}, p_j^+)$ | $d(p_{3j}, p_j^-)$ |
| T <sub>1</sub> | T <sub>11</sub> | 0.0000             | 0.0409             | 0.0409             | 0.0000             | 0.0212             | 0.0197             |
|                | T <sub>12</sub> | 0.0000             | 0.0163             | 0.0163             | 0.0000             | 0.0028             | 0.0134             |
|                | T <sub>13</sub> | 0.0000             | 0.0223             | 0.0223             | 0.0000             | 0.0117             | 0.0106             |
| T <sub>2</sub> | T <sub>21</sub> | 0.0000             | 0.0126             | 0.0066             | 0.0063             | 0.0126             | 0.0000             |
|                | T <sub>22</sub> | 0.0000             | 0.0463             | 0.0463             | 0.0000             | 0.0166             | 0.0299             |
|                | T <sub>23</sub> | 0.0000             | 0.0394             | 0.0394             | 0.0000             | 0.0062             | 0.0337             |
| T <sub>3</sub> | T <sub>31</sub> | 0.0134             | 0.0000             | 0.0021             | 0.0114             | 0.0000             | 0.0134             |
|                | T <sub>32</sub> | 0.0035             | 0.0057             | 0.0085             | 0.0000             | 0.0000             | 0.0085             |
|                | T <sub>33</sub> | 0.0154             | 0.0000             | 0.0000             | 0.0154             | 0.0099             | 0.0056             |

## 5. Conclusions

To carry out consulting work in a consortium is a necessary way to effectively promote the whole process of engineering consulting. From three aspects of team cooperation, technical ability, organization and management, the whole process of project consulting consortium member selection evaluation index system including 9 indexes is put forward. Z-numbers combined with entropy weight method were used to obtain the weight of expert opinions, and



Z-Numbers fuzzy TOPSIS model was introduced to solve the ranking of alternative enterprises. The uncertainty and reliability of decision information were fully considered. Fuzzy TOPSIS was used to calculate the distance between fuzzy numbers, reducing the loss of information. It can reflect the reality well. The applicability of the model is verified by an example. The optimization model of the consortium members in the whole process of engineering consulting provides a feasible method to solve the problem of leading enterprises choosing partners.

## Acknowledgements

This research is supported by National Science and Technology support program (2013BAJ10B09-2).

## Data availability

The datasets generated during and/or analyzed during the current study are available from the corresponding author on reasonable request.

## Author contributions

Zecheng Liu: data curation, formal analysis, investigation, methodology, visualization, writing-original draft preparation. Jianyu Chu: conceptualization, funding acquisition, supervision, validation. Jinjian Du: project administration, software, writing-review and editing.

## Conflict of interest

The authors declare that they have no conflict of interest.

## References

- [1] S. M. Cui, "Research on the income distribution model of the whole process engineer consulting consortium," (in Chinese), *Construction Economy*, Vol. 42, No. 3, pp. 37–40, 2021.
- [2] Y. T. Xu, Y. Wang, and X. D. Gao, "Collaborative design team formation method based on three-phase comprehensive evaluation," (in Chinese), in *International Conference on Information Science and Engineering*, Vol. 35, No. 7, pp. 1907–1910, 2010.
- [3] Z. P. Fan, B. Feng, and Z. Z. Jiang, "A method for member selection of R&D teams using the individual and collaborative information," (in Chinese), *Expert Systems with Applications*, Vol. 36, No. 4, pp. 8313–8323, 2009.
- [4] R. Watanabe, H. Ishibashi, and T. Furukawa, "Visual analytics of set data for knowledge discovery and member selection support," *Decision Support Systems*, Vol. 152, No. 1, p. 113635, Jan. 2022, <https://doi.org/10.1016/j.dss.2021.113635>
- [5] D. Kumar, Z. Rahman, and F. T. S. Chan, "A fuzzy AHP and fuzzy multi-objective linear programming model for order allocation in a sustainable supply chain," *International Journal of Computer Integrated Manufacturing*, Vol. 30, No. 6, pp. 535–551, Jun. 2017, <https://doi.org/10.1080/0951192x.2016.1145813>
- [6] Y. Cheng, J. Peng, Z. Zhou, X. Gu, and W. Liu, "A Hybrid DEA-Adaboost model in supplier selection for fuzzy variable and multiple objectives," (in Chinese), *IFAC-PapersOnLine*, Vol. 50, No. 1, pp. 12255–12260, Jul. 2017, <https://doi.org/10.1016/j.ifacol.2017.08.2038>
- [7] M. M. Zhao, "Research on EPC engineering consortium based on Z-number fuzzy numbers," (in Chinese), China Three Gorges University, Yichang, 2019.



**Zecheng Liu** received the bachelor's degree in engineering management from Tangshan University, Tangshan, China, in 2020. He is now pursuing the master's degree. His current research interests include whole process engineering consulting.



Prof. **Jianyu Chu** received the Ph.D. degree in civil engineering from Tianjin University, China, in 2015. He is currently a full professor in North China University of Science and Technology. His research interests include whole process engineering consulting.



**Jinjian Du** received the bachelor's degree in engineering management from North China University of Science and Technology, Tangshan, China, in 2021, where he is now pursuing the master's degree. His current research interests include whole process engineering consulting.